

Luci RIMiT flex alpha

Illuminance data



LRFA RIMiT flex alpha 9W



Color temperature

5000K 4000K 3500K 3000K 2700K 2400K

Direct horizontal surface light intensity distribution chart



LRFA-T1000□-N-DF-□-9

Light source color 5000K
Delivered CCT 4600K
Brightness 177 cd
Luminous flux 639 lm
Color rendering index Ra 93





LRFA-T1000□-W-DF-□-9

Light source color 4000K
Delivered CCT 3600K
Brightness 177 cd
Luminous flux 636 lm
Color rendering index Ra 92





LRFA-T1000□-WW-DF-□-9

Light source color 3500K
Delivered CCT 3200K
Brightness 174 cd
Luminous flux 617 lm
Color rendering index Ra 92





LRFA-T1000□-L30-DF-□-9

Light source color 3000K
Delivered CCT 2800K
Brightness 161 cd
Luminous flux 591 lm
Color rendering index Ra 91





LRFA-T1000□-L27-DF-□-9

Light source color 2700K
Delivered CCT 2500K
Brightness 156 cd
Luminous flux 572 lm
Color rendering index Ra 91



LRFA-T1000□-L24-DF-□-9

Light source color 2400K
Delivered CCT 2300K
Brightness 147 cd
Luminous flux 517 lm
Color rendering index Ra 91






Luci RIMiT flex alpha


Illuminance data



Recommend dimensions and illumination distributions



Light distribution



Luci RIMiT flex alpha

Illuminance data



LRFA RIMiT flex alpha 15W



Color temperature

5000K 4000K 3500K 3000K 2700K 2400K

Direct horizontal surface light intensity distribution chart



LRFA-T1000 □ - N-DF - □ - 15

Light source color 5000K
Delivered CCT 4600K
Brightness 261 cd
Luminous flux 964 lm
Color rendering index Ra 93





LRFA-T1000 □ - W-DF - □ - 15

Light source color 4000K
Delivered CCT 3600K
Brightness 261 cd
Luminous flux 954 lm
Color rendering index Ra 92





LRFA-T1000 □ - WW-DF - □ - 15

Light source color 3500K
Delivered CCT 3200K
Brightness 247 cd
Luminous flux 912 lm
Color rendering index Ra 92





LRFA-T1000 □ - L30-DF - □ - 15

Light source color 3000K
Delivered CCT 2800K
Brightness 244 cd
Luminous flux 875 lm
Color rendering index Ra 91





LRFA-T1000 □ - L27-DF - □ - 15

Light source color 2700K
Delivered CCT 2500K
Brightness 229 cd
Luminous flux 830 lm
Color rendering index Ra 91



LRFA-T1000 □ - L24-DF - □ - 15

Light source color 2400K
Delivered CCT 2300K
Brightness 209 cd
Luminous flux 779 lm
Color rendering index Ra 91



Illuminance data

Color temperature

5000K 4000K 3500K 3000K 2700K 2400K

Cornice lighting-1 CH=2800

